


FLAG & BANNER FINISHING OPTIONS




STANDARD FLAGS



Sister Clips: Top and Bottom, with Cord and Reinforced Canvas edge. Black or white Canvas available.



Rope & Toggle: Top only, with Cord and Reinforced Canvas edge. Black or white Canvas available.



Rope: Reinforced Canvas edge with 500mm excess cord. Black or white Canvas available.



Standard Hem: 15mm Double Stitched Hem.



SWING ARM BANNERS



Swing Arm Banners: Standard 60mm Canvas Sleeve Top and Side. Black or white Canvas available.




Swing Arm Banners: End Cap on the Horizontal Swing Arm Pole. Black or white Caps available.

Other Finishing & Accessory Options available as requested.

FLAG & BANNER FINISHING OPTIONS



STREET FLAGS



Street Flag: Standard 25mm Webbing Reinforced Edge. Black or white Webbing available.




Street Flag: Standard 100mm Canvas Sleeve with Top Eyelets Spaced as Required. Black or white Canvas available.

Basic Accessories



Note: For Street Flags, raw cut finishing on the exposed edge is always recommended for longevity

Shape and Hanging Options



Other Options Available as Requested.

FLAG & BANNER FINISHING OPTIONS




BANNER FINISHING OPTIONS STANDARD SPECIFICATIONS




Eyelets: Standard 10mm Eyelet (inside Diameter) on a 30mm Hem.




Eyelets: Standard 10mm Eyelet (inside Diameter) Reinforced Corner on a 15mm Hem.




Eyelets: Standard 10mm Eyelet (inside Diameter) on a 30mm Hem with Cord.



Heat Sealed Edge



Velcro: Standard 25mm Loop (Soft) Velcro Sewn to Fabric Banner. (Preferred as Hook (Coarse) Side Snags Fabric when Folded.) Black or white Velcro available.



Self Sleeve: Where Sleeves (from the banner fabric) are Required, Please Provide 85mm additional Bleed on top of the finished size, per Sleeve Required .

Other Options Available as Requested.